

STYLE COLLECTION


STAND

STYLE COLLECTION | STAND

SIZES

Double-sided panel: approx. 45 mm thick

STAND STYLE



H 189 cm x L 102 cm x 54 cm



PANEL FINISHES

BLACK&WHITE

- **Black&White** the panel retains its original conformation, leaving the colour of the fibre, white or black, visible.




ORIGINAL

- **Original**, the panel can be printed with images, graphics or photos. The print can be single-sided or double-sided. In the first case, the reverse side is visible black or white fibre.




PANTONE®

- **Pantone®** the panel is printed in solid colours, choosing from the infinite range of Pantone® colours. The print can be single-sided or double-sided. In the first case, the reverse side is visible black or white fibre.



STRUCTURE FINISHES



FLAME RESISTANCE

Euroclasse B-s2,d0

VOLATILE ORGANIC COMPOUND EMISSION

VOC A+

Indoor Air Comfort GOLD



NO FORMALDEHYDE

CAM REQUIREMENTS

Complies with the requirements defined by CAM Edilizia for acoustic and thermal insulation materials regarding the demand for high acoustic absorption performance, recycled content percentage, and the absence of hazardous substances.



REMADE IN ITALY CERTIFICATE

REMADE IN ITALY certification is an ACCREDIA-accredited product certification that verifies the recycled content incorporated into each product. This certification is accepted during bidding and awarding phases, in compliance with public procurement regulations and Minimum Environmental Criteria (MEC) requirements.



100% RICICLABILE



ECO-FRIENDLY

ENVIRONMENTAL PROTOCOLS

Contributes to earning credits for the main environmental building certifications, such as the LEED, BREEAM, WELL, and ITACA protocols.

SHORT SUPPLY CHAIN

The entire lifecycle is managed within Italy, significantly reducing the environmental impact associated with transportation of raw materials, semi-finished products, and the final product.



MADE BY ITALIANS

HI-TECH MATERIALS

Style Collection solutions are made of 100% ISOLFIBTEC®, a special polyester fibre that is completely non-toxic and non-allergenic, obtained from recycled PET. It is a material with a high sound absorption coefficient, environmentally friendly and long-lasting. The ISOLFIBTEC® structure can then be customised by choosing from Black&White, Original or Pantone® finishes.




Every square meter of ISOLFIBTEC® is produced by recycling 39 PET bottles

SOUND ABSORPTION

Sound absorption measured in reverberation chamber (UNI EN ISO 354)

f [Hz]	Aobj [m ²]
Frequency	Absorption Area Equivalent
125	0,68
250	0,96
500	1,33
1000	1,68
2000	1,96
4000	2,25



DURABILITY



LIGHTWEIGHT



EASY TO HANDLE



EASY TO CLEAN*

*For optimal panel cleanliness, use a vacuum with a smooth nozzle (without brushing) or a dry microfiber cloth.

SPECIFICATION ITEM: ISOLSPACE STYLE STAND

Two-sided sound absorbing panel for application in the centre of the room, made of ISOLFIBTEC© (a special polyester technical textile fiber), engineered to achieve maximum sound-absorbing capacity. Can be applied at sight in floor-standing rooms by means of special self-supporting base kits.

Finish colour to be selected by the Construction Manager.

Panel available in Black&White, Original or Pantone® with a thickness of approximately 45 mm.

Structure available in white, metallic grey and black in the dimensions H 189 cm x W 102 cm x 54 cm.

Sound absorption coefficient $a_w = 0.95$ (Class A), tested in a reverberation room with air gap according to the UNI EN ISO 354 standard.

Absence of volatile and harmful organic substances certified by achieving the highest score in VOC (A+) and Indoor Air Comfort (GOLD).

Product compliant with MEC (Minimum Environmental Criteria), with recycled content certified by a third-party organization.

Euroclass B-s1,d0 fire reaction certification.

CAUTIONS

This data sheet does not constitute a specification, and if it consists of multiple pages, please ensure you have reviewed the complete document. The guidelines provided reflect our expertise but serve as general recommendations only. Users assume full responsibility for determining product suitability for specific applications and any consequences of use.

Please be aware that panels may exhibit minor variations in thickness and dimensions due to the properties of the materials used in manufacturing

Isospace is a Tecnasfalti brand

via dell'Industria, 12

Loc. Francolino

20074 Carpiano (MI)

T. +39 02 9885701

E. hello@isospace.it

isospace.com