

# ISOLSPACE SKIN STAND

OBLIQUE AND SMOOTH COLLECTION

## STAND: OBLIQUE AND SMOOTH COLLECTION

---

### SIZES

---

Double-sided structure: approx. 35 mm thick




**S1A** (panel size 120 x 120 cm; structure available in two heights: 120 and 160 cm)



**S1B** (panel size 120 x 120 cm; structure available in two heights: 120 and 160 cm)


Double-sided structure: approx. 35 mm thick



SIDE 1

SIDE 2

**S2A** (panel size 60 x 120 cm; structure available in two heights: 120 and 160 cm)



SIDE 1

SIDE 2

**S2C** (panel size 60 x 120 cm; structure available in two heights: 120 and 160 cm)



## FLAME RESISTANCE

---

Euroclasse B-s2,d0

## VOLATILE ORGANIC COMPOUND EMISSION

---

VOC A+

Indoor Air Comfort GOLD



NO FORMALDEHYDE

## CAM REQUIREMENTS

---

Complies with the requirements defined by CAM Edilizia for acoustic and thermal insulation materials regarding the demand for high acoustic absorption performance, recycled content percentage, and the absence of hazardous substances.



## REMADE IN ITALY CERTIFICATE

---

Isospace Skin Stand carries the REMADE IN ITALY certification, an ACCREDIA-accredited product certification that verifies the recycled content incorporated into each product. This certification is accepted during bidding and awarding phases, in compliance with public procurement regulations and Minimum Environmental Criteria (MEC) requirements.



100% RECYCLABLE



ECO-FRIENDLY

## ENVIRONMENTAL PROTOCOLS

---

Isospace Skin contributes to earning credits toward building environmental certification under both LEED and ITACA protocols.

## SHORT SUPPLY CHAIN

---

The entire lifecycle of Isospace Skin is managed within Italy, significantly reducing the environmental impact associated with transportation of raw materials, semi-finished products, and the final product.



MADE BY ITALIANS

## HI-TECH MATERIALS

---

Isospace Skin solutions are made from FIBTEC<sup>®</sup>, a special completely non-toxic and hypoallergenic polyester fiber, obtained from recycled PET. This material has a high sound absorption coefficient, is environmentally friendly and long-lasting.

The internal FIBTEC<sup>®</sup> structure is then covered with Trevira<sup>®</sup> fabrics, materials with a natural texture that are soft to the touch yet durable, easily washable, and long-lasting. Trevira fabrics are certified with the highest ratings according to Oeko-Tex Standard 100.




Every square meter of FIBTEC<sup>®</sup> is produced by recycling 39 PET bottles

## SOUND ABSORPTION

Sound absorption measurement in reverberation room (UNI EN ISO 354:2003)

f [Hz]	Aobj [m <sup>2</sup> ]
Frequency	Equivalent sound absorption area
125	0,43
250	0,81
500	1,25
1000	1,70
2000	1,82
4000	1,82



## DURABILITY



LIGHTWEIGHT



EASY TO HANDLE



EASY TO CLEAN\*

\*For optimal panel cleanliness, use a vacuum with a smooth nozzle (without brushing) or a dry microfiber cloth.

## SPECIFICATION ITEM: ISOLSPACE SKIN STAND

Three-dimensional, double-sided modular sound-absorbing panel designed for mid-room installation, crafted from IsolFiBTEC—a specialized polyester technical textile fiber engineered to deliver maximum acoustic absorption performance—finished with premium Trevira CS polyester fabric.

Thickness approx. 35 mm. Featuring both Oblique and Smooth surface designs.

Can be elegantly displayed in open spaces using specialized self-supporting base systems. Available in variable formats (60x120cm and 120x120cm) that can be interconnected using dedicated in-line joining elements.

Finishing color to be selected by the Construction Manager; available in single-color or two-tone versions. Customization options available with client-supplied images.

Acoustic absorption coefficient Class A, tested in a reverberation chamber both with an air gap (Type J mounting) and as a Discrete Object according to UNI EN ISO 354 standards.

Absence of volatile and harmful organic substances certified by achieving the highest score in VOC (A+) and Indoor Air Comfort (GOLD). The product contains third-party certified recycled content that meets Minimum Environmental Criteria (MEC) requirements for sustainable procurement.

Euroclass B-s2,d0 fire reaction certification.

## COLORS AND FINISHES - PALETTE NATURE S - FABRIC 100% PL Trevira CS ECO

The Isospace Skin color palette draws inspiration from the natural world, creating refined environments that provide authentic and complete wellbeing. The colors in the palette are available for all versions of Isospace Skin. The upholstery features 100% PL Trevira CS ECO fabric, sustainably manufactured from recycled post-consumer PET bottles. The fabric stands out for its exceptional sustainability credentials, containing a minimum of 50% recycled material in each filament. It is GRS (Global Recycled Standard) and OEKOTEX certified, fire retardant and 100% recyclable. Pleasant to the touch, it cleans easily and is highly resistant to wear.


Custom colors can be requested for specific design requirements and quantities. Prices may differ compared with standard colors.




ALPACA / CODICE 999




DOLPHIN / CODICE 377




CARIBOU / CODICE 533




GIRAFFE / CODICE 119




FOX / CODICE 572



IGUANA / CODICE 426




WHALE / CODICE 636



PANTHER / CODICE 573




tessuto riciclato  
recycled fabric




tessuto riciclabile  
recyclable fabric



acustico  
acoustic



5 garanzia 5 anni  
5 years guarantee



colori speciali  
special colours



### NOTE

**When placing your order**, please **specify the color code** for each product selected.

**Color variations may occur between different production batches.** Such subtle color variations between fabric batches are inherent to high-quality textile manufacturing processes and are not considered defects in the product.

## CAUTIONS

---

This data sheet does not constitute a specification, and if it consists of multiple pages, please ensure you have reviewed the complete document. The guidelines provided reflect our expertise but serve as general recommendations only. Users assume full responsibility for determining product suitability for specific applications and any consequences of use.

Please be aware that panels may exhibit minor variations in thickness and dimensions due to the properties of the materials used in manufacturing.

**Isospace is a Tecnasfalti brand**

via dell'Industria, 12

Loc. Francolino

20074 Carpiano (MI)

T. +39 02 9885701

E. [hello@isospace.it](mailto:hello@isospace.it)

[isospace.it](http://isospace.it)

[isospaceskin.it](http://isospaceskin.it)